

# AAC 53

PRODUCT FACT SHEET



## AAC 53


DESIGN BY HEE WELLING & HAY, 2014

The AAC 53 version shares the same distinctive and uncluttered shell as the rest of the About A Chair series. The chair features a five-legged castor base equipped with a semi-automatic gas lift that can adjust the seat height from 42 to 56 cm. The stylish, functional design combined with the elegant swivel base makes it perfect for formal or official settings and work-at-home offices. The polypropylene shell is available in a large number of colour and upholstery options and the base comes in various finishes.

### HIGHLIGHTS

- Part of a multi-functional family of dining and conference chairs, office chairs, bar stools, lounge chairs, tables, an ottoman and a sofa.
- Full upholstery in a large selection of fabrics and leathers.
- Variability of textiles, colours and base finishes.
- Available with plastic shell, with front- and seat upholstery (AAC 52) and full upholstery (AAC 53) in a large selection of fabrics and leathers.
- Shell is also available without armrest.
- The 5-legged base is equipped with a semi-automatic gas lift.
- Adjustable seat height varies from 42 to 56 cm.
- Other base options are: 4-leg steel base, swivel base, sled base, solid wood legs and moulded plywood legs.
- Other upholstery option is: a soft quilted version with added wadding in a large selection of fabrics and leathers.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

### DIMENSIONS



WIDTH 69 CM | 27.2"

DEPTH 69 CM | 27.2"

HEIGHT 74,5 - 87,5 CM | 29.3" - 34.5"

SEAT HEIGHT 42,4 - 55,4 CM | 16.7" - 21.8"

SEAT DEPTH 40 CM | 15.8"

### MATERIALS

#### SHELL

Injection moulded polypropylene shell with armrest with full upholstery. Shell thickness 10 mm polypropylene with 10 mm foam.

#### BASE

5 star swivel base in cast aluminium with wheels and gas lift. With soft wheels for all floors.

### OPTIONS

CMHR foam (fire retardant).

### SOFT WHEELS

Standard on all. Suitable for all floorings.

#### BLACK BASE

All shells = black wheels.

#### WHITE BASE

All shells = white wheels with grey rubber.

#### POLISHED BASE

White shell = White wheels with grey rubber  
Other shells = Black wheels

### CONSTRUCTION

5 star swivel base in cast aluminium with wheels and gas lift.

### COUNTRY OF ORIGIN

Poland

### COLOUR & FINISH

Please note that the colour codes are indicative.



BLACK  
POWDER COATED  
ALUMINIUM  
RAL 9005



WHITE  
POWDER COATED  
ALUMINIUM  
RAL 9003



POLISHED  
ALUMINIUM

### FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

## SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

## CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

## TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2 Extreme use - Loading according to Test severity L2.

## WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

## CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

## DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)